


I_{max} 4x6' H radials 32' mast


Wire Number	1
Length	270 in
Seg Length	3 in
Diameter	0.125 in



I_{max} 4x6' H radials 32' mast


27.205 MHz

Elevation Plot		Cursor Elev	9.0 deg.
Azimuth Angle	0.0 deg.	Gain	3.71 dBi
Outer Ring	3.71 dBi		0.0 dBmax
Slice Max Gain	3.71 dBi @ Elev Angle = 9.0 deg.		
Beamwidth	25.7 deg.; -3dB @ 3.8, 29.5 deg.		
Sidelobe Gain	3.71 dBi @ Elev Angle = 171.0 deg.		
Front/Sidelobe	0.0 dB		



Imax 4x9' H radials 32' mast

Wire Number	1
Length	270 in
Seg Length	3 in
Diameter	0.125 in



Imax 4x9' H radials 32' mast

27.205 MHz

Elevation Plot

Azimuth Angle

Outer Ring

0.0 deg.

3.31 dBi

Cursor Elev

Gain

9.0 deg.

3.31 dBi

0.0 dBmax

Slice Max Gain

Beamwidth

Sidelobe Gain

Front/Sidelobe

3.31 dBi @ Elev Angle = 9.0 deg.

26.3 deg.; -3dB @ 3.8, 30.1 deg.

3.31 dBi @ Elev Angle = 171.0 deg.

0.0 dB